

PROTECTING PUBLIC HEALTH TOGETHER

# PART A: TO BE FILLED IN BY THE APPLICANT

Title Proposed work item (Max 5 keywords)  Preparation of a pilot on a new designation procedure for NB									
<b>CMC-Board History</b> (list of references of all relevant communication to/from CMC-Board concerning this work item)									
Applicant									
> Applica	nt membei	of CMC							
□АТ	☐ BE	BG	□СН	СҮ	☐ CZ	⊠ DE	DK	☐ EE	
□ES	☐ FI	FR	GR	☐HR	HU	⊠ IE	☐ IS	☐IT	
LI	LT	LU	LV	☐ MT	□NL	□NO	☐ PL	☐ PT	
□RO	☐ SE	☐ SI	☐ SK	☐ TR	UK	СОМ			
> Applicant not within CMC-members									
☐ Working Group Name WG:									
Other:		Name	Name Organisation:						
		Addre	Address:						
Contact	person:								
Telephone No:		H	Fax No:						
E-mail:									
Date: 05.06.2012									
Proposed work item									

16-20120628A Page 1 of 4

The harmonised implementation and interpretation by the Competent Authorities of the expected implementing measure on the designation of NB shall be prepared in a way that in 2013 the designation and re-designation of NB can be done in accordance with the changed requirements.

This includes in particular:

- 1. Definition of requirements on the necessary skills and/or training of European NB Assessors from the designating authorities
- 2. Creation of a pool of European NB Assessors on the basis of nominations by the CA and by confirming compliance with the requirements under 1.
- 3. Development of a common assessment scheme/procedure
- 4. Development of common formats for reports etc.

### Rationale for application

Commissioner Dalli proposed early in 2012 that with the beginning of 2013 Notified Bodies responsible for Class III medical devices shall be audited by a team involving national and Commission staff. The criteria for these audits should be defined with an implementing act to be adopted End of 2012. Experiences with these joint assessments should be feed into the negotiations in the European Council and Parliament on the revision of the European medical devices legislation.

To be able to start the joint assessments, preparatory work of the CAs (via NBOG and CMC) in close cooperation with the COM is necessary.

### Arguments pro and against NWI

Supporting information (Working Groups, CAMD, etc.)

Is there a consensus among Member States?

What are the main reasons of lack of consensus?

### Action/Decision proposed by applicant

CMC should decide to start the NWI

#### Proposal for the lead official:

to be decided

### **Supporting information (Working Groups, CAMD, etc.)**

+ History of discussion: provide here the list of hyperlinks to relevant documents (eg. CIRCA)

•

16-20120628A Page 2 of 4

# PART B: TO BE FILLED IN BY THE CMC-BOARD

Proposed work item	Within scope of CMC?	⊠ Yes	☐ No			
	Is Proposal mature for CMC ?	Xes Yes	☐ No			
	Recommendations:					
Rationale for application	Description complete?	⊠ Yes	☐ No			
	Recommendations:					
Arguments pro and against NWI Supporting information (Working	Description complete?	Yes	⊠ No			
Groups, CAMD, etc.) Is there a consensus among MS?	Recommendations:					
What are the main reasons of lack of consensus?						
Proposal for the lead official	Accepted?	Yes	□No			
	Proposed alternative candidate: NBOG member from UK					
Supporting information (Working Groups, CAMD, etc.)	Documentation complete?	Yes	No No			
+ History: provide here the list of links to relevant documents (eg.	Recommendations:					
CIRCA)	Consider existing NBOG guides					

16-20120628A Page 3 of 4

# PART C: RECOMMENDATION FROM CMC-BOARD TO CMC

CMC meeting date	17.07.2012			
CMC meeting agenda item	10			
Transfer to CMC meeting	□ For consideration			
	☐ For appointment of the lead official			
	For allocation of work			
	For decision			
Action/Decision proposed				
CMC should decide to accept the NWI				
Proposal for the lead official:				
CH, UK, IE				
Proposal for the allocation of potentially necessary additional preparatory work:				
small group of NBOG and CMC members and COM				
Proposed work planning and timing to output:				
Final draft before end of 2012				
Conclusion of the CMC-Board CMC should accept the NWI,				
Date: 28.6.2012				

16-20120628A Page 4 of 4